



# ITR14.21T

TELESCOPIC




**ITRunner**



[www.itrunner.it](http://www.itrunner.it)

**2 AXLES HOOKLIFT ITR 14.21 T**  
TELESCOPIC  
MECHANIC SUSPENSIONS



## Standard Features

### CHASSIS

Frame section	200 x 100 mm
Draw bar	silent blocks
Leaf spring suspension	21 t
Axes wheelbase	1480 mm
Axes section	2 x 110 mm
Axes	fixed + fixed
Track	2000 mm
Brake drums	400 x 80 mm
Braking system	hydraulic
Towing eye	turning
Support foot	hydraulic
Wheel size	500/60 R22,5
Chassis loading level	1220 mm

### WEIGHT AND DIMENSION

Gross Trailer Weight (G.T.W.)	21 t
Container handling cap.	4000/6000 mm
Max speed	40 km/h
(*) Tare	4680 kg

### TELESCOPIC ARM

Run	1035 mm
Hook level	1425/1460/1570
Container internal/external	hydraulic
locking	47°
Tipping angle	14 t
Tipping capacity	14 t

### OLEO-DYNAMIC SYSTEM

Tractor hydraulics	3 controls d.a.
Oil volume (hooklift filled)	45 l
Hooklift filled:	
Cylinders oil operation	
demand	8 l
Tipping	9,3 l
Loading/unloading	

(\*) Tare: the trailer weight is referred to the basic unit without options and accessories.


**ITRunner**

**ITR 14.2IT**  
TELESCOPIC





**ITRunner**



# **ITRunner**

Reg. Oltre Rea, 32  
12060 Monchiero (CN) - Italy  
Phone +39 0173 780 002  
Fax +39 0173 780 700  
Email: info@itranner.it

[www.itrunner.it](http://www.itrunner.it)



*lift your life*